

Volume 20, Special issue August 2019







Abstract Book

15th International Conference on Trichinellosis



26th - 30th August 2019 Cluj-Napoca, Romania

0087 "Know to prevent" in Northern Patagonia, Argentina

S. Wintera, S.D. Abatea, F.A. Fariñab,c, M.I. Pasqualettib,c, M.M. Ribicichb,c*

^aCentro de Investigaciones y Transferencia Rio Negro (CONICET-UNRN). Río Negro, Argentina.

^bUniversidad de Buenos Aires. Facultad de Ciencias Veterinarias. Cátedra de Parasitología y Enfermedades Parasitarias. Buenos Aires, Argentina.

^cCONICET – Universidad de Buenos Aires, Instituto de Investigaciones en Producción Animal (INPA). Buenos Aires, Argentina.

*Corresponding author: mribicich@fvet.uba.ar

Trichinellosis is endemic in Argentina and an important public health problem because of its high morbidity rates. In Patagonia Argentina, despite not being an important pig production area, there are outbreaks of trichinellosis due to the consumption without bromatological control of pigs meat produced domestically and wild animals meat obtained by hunting activity. Also, the production of sausages ("chacinados") for family consumption and informal sale contributes to the transmission. Even though one way to prevent trichinellosis is to cook meat to safe temperatures, the consumption of raw sausages should only be made after the artificial digestion method was performed on animal carcasses and a negative result was given. In this context, the aim of this study was to make workshops for children between 6 and 12 years old, tending to provide tools that reduce the appearance of outbreaks of trichinellosis in a rural area of the northern Patagonia Argentina. Under the concept of "know to prevent", the different aspects of the parasite-host-environment triad were worked on. Between August 2016 and December 2017, seven groups of students between 6 and 12 years old of two primary rural schools took part in workshops. To stimulate learning, parasites were observed through a microscope and magnifying glass. They were developed theoretical content and practical, creative and playful activities. In addition, attractive and easy-to-understand brochures were designed for children and families. As a result, 176 children from two rural primary schools in a rural area of the northern Patagonia Argentina learned for the first time what trichinellosis is, how it is transmitted and how it is prevented. To promote a necessary change of attitude tending to prevent trichinellosis, the active participation of children is essential.



"KNOW TO PREVENT" IN NORTHERN PATAGONIA ARGENTINA

Winter M¹, Abate SD¹, Fariña FA^{2,3}, Pasqualetti MI^{2,3}, Ribicich MM^{2,3}

¹Centro de Investigaciones y Transferencia Rio Negro (CONICET-UNRN). Río Negro, Argentina. ²Universidad de Buenos Aires. Facultad de Ciencias Veterinarias. Cátedra de Parasitología y Enfermedades Parasitarias. Buenos Aires, Argentina. ³CONICET – Universidad de Buenos Aires, Instituto de Investigaciones en Producción Animal (INPA). Buenos Aires, Argentina.





Trichinellosis is endemic in Argentina and an important public health problem because of its high morbidity rates. In Patagonia Argentina, despite not being an important pig production area, there are outbreaks of trichinellosis due to the consumption without bromatological control of pigs meat produced domestically and wild animals meat obtained by hunting activity. Also, the production of sausages ("chacinados") for family consumption and informal sale contributes to the transmission. Even though, one way to prevent trichinellosis is to cook meat to safe temperatures the consumption of safe sausages can only be made by artificial digestion: the official control method in Argentina.

The aim of this study was to make workshops for children between 6 and 12 years old, tending to provide tools that reduce the appearance of outbreaks of trichinellosis in a rural area of the

Under the concept of "know to prevent", the different aspects of the parasite-host-environment triad were worked on. Between August 2016 and December 2017, seven groups of students between 6 and 12 years old of two primary rural schools took part in workshops. To stimulate learning, parasites were observed through a microscope and magnifying glass. They were developed theoretical content and practical, creative and playful activities. In addition, attractive and easy-to-understand brochures were designed for children and families.

As a result, 176 children from two rural primary schools in a rural area of northern Patagonia Argentina learned for the first time what trichinellosis is, how it is transmitted and how it is prevented. To promote a necessary change of attitude tending to prevent trichinellosis, the active participation of children is essential.

